DNS Privacy Test Servers

- Public resolvers
- Experimental DNS Privacy Recursive Servers
 - DoH servers
 - DoT servers
 - Stubby
 - Servers run by the Stubby developers
 - Other servers with a 'no logging' policy
 - Servers with minimal logging/limitations

Public resolvers



Public Resolvers: Several large organisations have announce DNS Privacy Servers - see DNS Privacy Public Resolvers

- Quad9 (9.9.9.9) and Cloudflare (1.1.1.1) offer DNS-over-TLS on port 853
- . DOH servers are also currently listed on that page

Experimental DNS Privacy Recursive Servers

Live Monitoring Live Traffic Map of server Dashboard Graphs locations

DoH servers

These are currently listed on the DNS Privacy Public Resolvers page and also the list maintained on the curl wiki. For any servers below with the note 'also does DoH' check these pages or the website of the Service for the DoH endpoint.

DoT servers

The following servers are experimental DNS-over-TLS servers.



Note that they are experimental offerings (mainly by individuals/small organisations) with **no guarantees** on the lifetime of the service, service level provided. The level of logging may also vary (see the individual websites where available) - the information here about logging has not been verified. Also note that the single SPKI pins published here for many of these servers are subject to change (e.g on Certificate renewal) and should be used with care!!

Oct 2020: The list below has been updated to retain only those servers that appear to still be actively maintained

Stubby

A YAML configuration file for Stubby containing a the details of these servers is provided with Stubby and can be found here. This file enables only the subset of servers operated by the stubby/getdns developers by default, users can choose to enable any of the other servers by uncommenting the relevant section (occasionally the file lags this page).

Servers run by the Stubby developers

Hosted by	IP addresses	TLS Ports	Hostname for TLS authentication	Base 64 encoded form of SPKI pin(s) for TLS authentication (RFC7858)	TLSA record published	Logging	Software	Notes
1) The follow	wing are currently en	abled in the	e default Stubby con	fig file because they are run by the	ne stubby/getdns	developers ar	nd have no kno	own issues.
Sinodun /Surfnet	145.100.185.15 2001:610:1:40ba: 145:100:185:15	853 443	dnsovertls. sinodun.com	62lKu9HsDVbyiPenApnc4sfmSY THOVfFgL3pyB+cBL4=	Υ	Traffic volume only	HAProxy + BIND 9.12	See https://www.sinodun.com /recursive-operator-privacy-statement- rps/
Sinodun1 /Surfnet	145.100.185.16 2001:610:1:40ba: 145:100:185:16	853 443	dnsovertls1. sinodun.com	cE2ecALeE5B+urJhDrJIVFmf38 cJLAvqekONvjvpqUA=	Υ	Traffic volume only	Nginx + BIND 9.12	See https://www.sinodun.com /recursive-operator-privacy-statement- rps/
getdnsapi. net	185.49.141.37 2a04:b900:0:100:: 37	853	getdnsapi.net	foxZRnlh9gZpWnl+zEiKa0EJ2rd CGroMWm02gaxSc9Q=	Υ	Traffic volume only	Unbound	

Other servers with a 'no logging' policy

Hosted by	IP addresses	T L S P o rts	Host name for TLS authe nticat ion	Base 64 encoded form of SPKI pin(s) for TLS authentication (RFC7858)	TLSA recor d publi shed	Logging	Soft ware	Notes		
Uncenso redDNS	89.233.43. 71 2a01:3a0: 53:53::0	8 53	unica st. censu rfridns .dk	wikE3jYAA6jQm XYTr /rbHeEPmC78d QwZbQp6Wdrse Es= (also see this file for a full set of pins)	Y	Traffic volume only		See https://blog.uncensoreddns.org/		
Fondatio n RESTE NA (NREN for Luxemb urg)	158.64.1.29 2001:a18: 1::29		kaitai n. resten a.lu	7ftvlkA+UeN /ktVkovd /7rPZ6mbkhVl7 /8HnFJliLa4=		Traffic volume only	Unbo und	Configured with qname-minimisation, use-caps-for-id, aggressive-nsec, prefetch, harden-below-nxdomain and the newest auth-zone for local root zone caching.		
Sinodun 3 /Surfnet	145.100.18 5.18 2001:610: 1:40ba: 145:100: 185:18	8 53	dnsov ertls3. sinod un. com	5SpFz7JEPzF71 hditH1v2dBhSEr PUMcLPJx1uk2 svT8=	Y	Traffic volume only	HAPr oxy + BIND 9.12	See https://www.sinodun.com/recursive-operator-privacy-statement-rps/		
Sinodun 4 /Surfnet	145.100.18 5.17 2001:610: 1:40ba: 145:100: 185:17	8 53	dnsov ertls2. sinod un. com	NAXBESvpjZMn PWQcrxa2KFlk HV /pDEIjRkA3hLW ogSg=	Y	Traffic volume only	Knot Reso Iver	See https://www.sinodun.com/recursive-operator-privacy-statement-rps/		
dkg	199.58.81. 218 2001:470: 1c:76d::53	8 5 3 4 43	dns. cmrg. net	3IOHSS48KOc /zlkKGtl46a9TY9 PPKDVGhE3W2 ZS4JZo= 5zFN3smRPuHII M /8L+hANt99LW2 6T97RFHqHv90 awjo=		None	Knot Reso Iver	See https://dns.cmrg.net/ Note that on port 443 this server can serve both HTTP 1.1 traffic (to securely access the nameserver credentials) on TLS connections and DNS-over-TLS on separate TLS connections due to some nifty, experimental demultiplexing of traffic, described here. Has some issues with DNSSEC responses - this is under investigation.		
Lorraine Data Network	80.67.188. 188 2001:913:: 8	8 53 4 43		WaG0kHUS5N /ny0labz85HZg+ v+f0b /UQ73IZjFep0n M=		Traffic volume only	stun nel 4 + BIND	See https://ldn-fai.net/serveur-dns-recursif-ouvert/ (note, logging of IP address at stunnel no longer performed). A self-signed certificate is used, so SPKI pinning is must be used.		
dns. neutopia .org	89.234.186 .112 2a00:5884: 8209::2	8 53 4 43	dns. neuto pia. org	wTeXHM8aczvh RSi0cv2qOXkXI noDU+2C+M8M pRyT3OI=		No logging	Knot resol ver			
BlahDNS	108.61.201 .119 2001:19f0: 7001:1ded: 5400:01ff: fe90:945b	8 53 4 43	dot-jp. blahd ns. com			No logging		https://blahdns.com/ NOTE1: Located in Japan. Also does DoH. NOTE2: Note that port 443 REQUIRES an authentication name UPDATED 22nd JAN 2018: note the authentication name has changed		
BlahDNS	159.69.198 .101 2a01:4f8: 1c1c:6b4b::		dot- de. blahd ns. com			No logging		https://blahdns.com/ NOTE1: Located in Frankfurt. Also does DoH. NOTE2: Note that port 443 REQUIRES an authentication name		
Go6Lab	2001:67c: 27e4::35	8 53	privac ydns. go6la b.si	g5lqtwHia /plKqWU /Fe2Woh4+7MO 3d0JYqYJpj /iYAw=		No logging	Unbo und			
Secure DNS Project by PumpleX	51.38.83.1 41 2001:41d0: 801:2000:: d64	8 53	dns. oszx. co	P /Auj1pm8MiUpel xGcrEuMJOQV+ pgPY0MR4awpc lvT4=		No logging		https://dns.oszx.co NOTE1: Also does DoH and dnscrypt NOTE2: Performs ad blocking		
Foundati on for Applied Privacy	146.255.56 .98 2a01:4f8: c0c:83ed::1	4	dot1.a pplied - privac y.net		Y	Only aggrega ted logging, no PII	unbo und	DETAILS UPDATED 14th Sep 2020 https://appliedprivacy.net/services/dns/ NOTE: Also does DoH and has an .onion endpoint		
ibksturm synology .me	178.82.102 .190	8 53	ibkstu rm. synol ogy. me			No logging	nginx + unbo und	https://github.com/ibksturm/dnscrypt-switzerland NOTE: Also does DoH and dnscrypt no filters, opennic root copy		

dismail. de	159.69.114 .157 2a01:4f8: c17:739a::	fdns2. disma il.de	yJYDim2Wb6tbx UB3yA5EIU /FsRZZhyMXye8 sXhKEd1w=	No logging	https://dismail.de/info.html#dns
dismail. de	80.241.218 .68 2a02:c205: 3001: 4558::1	fdns1. disma il.de	MMi3E2HZr5A5 GL+badqe3tzEP CB00+OmApZq JakbqUU=	No logging	https://dismail.de/info.html#dns

Servers with minimal logging/limitations

These servers use some logging, self-signed certs or no support for Strict mode.

Hoste d by	IP addresses	TLS Ports	Hostname for TLS authenticati on	Base 64 encoded form of SPKI pin(s) for TLS authentication (RFC7858)	TLSA record published	Logging	Softw are	Notes
NIC Chile	200.1.123.46 2001:1398:1:0:200: 1:123:46	853	dnsotls.lab. nic.cl	pUd9cZpbm9H8ws0tB55m9BXW4TrD4G ZfBAB0ppCziBg=	Υ	Yes, for research purposes	Unbo und	Details updated 18th Sept - now uses Let's encrypt cert